



## SAFETY DATA SHEET

### Creocote - Light or Dark

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1. Product identifier

Product name Creocote - Light or Dark

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses For use as an outdoor wood preservative on external timbers.  
Uses advised against Any use other than those identified.

##### 1.3. Details of the supplier of the safety data sheet

Supplier Barrettine  
Barrettine Works  
St Ivel Way  
Warmley  
Bristol  
BS30 8TY  
Tel: 0117 960 0060  
Fax: 0117 935 2437  
sales@barrettine.co.uk

##### 1.4. Emergency telephone number

0870 190 6777

#### SECTION 2: HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 4 - H332;Skin Irrit. 2 - H315;Carc. 2 - H351;STOT RE 2 - H373;Asp. Tox. 1 - H304
Environment	Aquatic Chronic 2 - H411

Classification (1999/45/EEC) Xn;R20, R65. Carc. Cat. 3;R40. Xi;R38. N;R51/53.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

Contains a substance which may cause cancer by skin contact.

Environment

The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

##### 2.2. Label elements

Contains fuels, diesel

Label In Accordance With (EC) No. 1272/2008

## Creocote - Light or Dark



Signal Word	Danger	
Hazard Statements	H304 H315 H332 H351 H373	May be fatal if swallowed and enters airways. Causes skin irritation. Harmful if inhaled. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.
Precautionary Statements	H411  P260 P280 P301+310+331  P308+313 P391 P403 P501B	Toxic to aquatic life with long lasting effects.  Do not breathe gas, fume, vapours or spray. Wear protective gloves, eye and face protection. IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT induce vomiting. IF exposed or concerned: Get medical advice/attention. Collect spillage. Store in a well-ventilated place. Dispose of contents/container to hazardous waste collection point.
Supplementary Precautionary Statements	P273	Avoid release to the environment.

### 2.3. Other hazards

Not Classified as PBT/vPvB by current EU criteria.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

fuels, diesel	30-60%
CAS-No.: 68334-30-5	EC No.: 269-822-7
Classification (EC 1272/2008) Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Carc. 2 - H351 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	Classification (67/548/EEC) Xn;R20,R65. Carc. Cat. 3;R40. Xi;R38. N;R51/53.
asphalt	5-10%
CAS-No.: 8052-42-4	EC No.: 232-490-9
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

# Creocote - Light or Dark

## **4.1. Description of first aid measures**

General information

Remove affected person from source of contamination.

Inhalation

If unconscious or breathing is irregular place on their side in the recovery position and ensure their airways are clear. Artificial respiration may be administered by suitably qualified first-aiders if the patient is unconscious or breathing is difficult.

Get immediate medical attention.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! DO NOT induce vomiting. Get medical attention immediately.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if irritation persists after washing.

Eye contact

Promptly rinse eyes with plenty of clean water while lifting the eyelids.

Continue to rinse for at least 15 minutes. Continue until the eyes are free of all traces of contamination.

Get immediate medical attention.

## **4.2. Most important symptoms and effects, both acute and delayed**

## **4.3. Indication of any immediate medical attention and special treatment needed**

Treat Symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

Extinguishing media

Extinguish with foam, carbon dioxide, dry powder, sand, dolomite or other inert material.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

### **5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products

During fire, toxic gases (CO, CO<sub>2</sub>) are formed.

Unusual Fire & Explosion Hazards

Vapours are heavier than air and may travel considerable distance to source of ignition and flash back.

Specific hazards

In fire conditions this product as well as giving off intense heat may evolve gaseous oxides of carbon and nitrogen. Burning material gives off dense acrid smoke and fumes which may contain other toxic and harmful gases.

### **5.3. Advice for firefighters**

Special Fire Fighting Procedures

Cool containers exposed to flames with water until well after the fire is out. Move container from fire area if it can be done without risk.

Protective equipment for fire-fighters

Wear self-contained breathing apparatus and full protective clothing. Keep all unnecessary people away. Fire water run-off must not be allowed to contaminate ground or enter drains, sewers or water courses. Provide bunding against fire water run-off.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Ventilate to dispel any residual vapour. Clean-up personnel should use respiratory protection, gloves, goggles and protective clothing and footwear (see section 8). Keep unnecessary people at a safe distance.

### **6.2. Environmental precautions**

# Creocote - Light or Dark

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

## **6.3. Methods and material for containment and cleaning up**

Ventilate well. Extinguish all ignition sources. Avoid sparks, flames, heat. No smoking. Keep flammable materials away from spillage. Clean-up personnel should use respirator and liquid contact protection.

Absorb in vermiculite, dry sand or earth and place into containers. Wash well after dealing with spillage. Inform authorities if large amounts are involved.

Rinse site with copious amounts of water, which should not be allowed into drains, sewers or water courses.

## **6.4. Reference to other sections**

### **SECTION 7: HANDLING AND STORAGE**

#### **7.1. Precautions for safe handling**

Use only in well ventilated areas. Keep away from sources of ignition. Avoid breathing vapours.

This material is combustible and can form explosive mixtures with air.

Take precautions against static discharge.

#### **7.2. Conditions for safe storage, including any incompatibilities**

Keep away from all possible sources of ignition.

Store in tightly closed containers in segregated, cool, dry, ventilated storage.

#### **7.3. Specific end use(s)**

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **8.1. Control parameters**

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
asphalt	WEL		5 mg/m <sup>3</sup>		10 mg/m <sup>3</sup>	

WEL = Workplace Exposure Limit.

#### **8.2. Exposure controls**

Engineering measures

Provide adequate general and local exhaust ventilation.

Respiratory equipment

If ventilation is insufficient suitable respiratory protection must be provided.

Seek advice and recommendations of the manufacturer or supplier of equipment

Hand protection

Wear suitable protective gloves conforming to EN 374. Seek recommendations from manufacturer or supplier. After using gloves the hands should be washed and thoroughly dried and a suitable moisturiser applied.

Eye protection

Wear tightly fitting safety goggles conforming to EN 166.

Other Protection

Minimise all forms of skin contact. Overalls and footwear with oil and chemical resistant soles should be worn. Launder overalls and undergarments regularly.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### **9.1. Information on basic physical and chemical properties**

Appearance

Brown liquid

Odour

Aromatic.

Solubility

Insoluble in water Miscible with most organic solvents.

# Creocote - Light or Dark

Initial boiling point and boiling range (°C)	230-390°C
Relative density	0.90-0.91
Evaporation rate	Volatile
Viscosity	205 mm <sup>2</sup> /s - kinematic
Flash point (°C)	>60°C CC (Closed cup).
Auto Ignition Temperature (°C)	≥225°C

## 9.2. Other information

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

#### 10.2. Chemical stability

Stable under normal conditions of storage and use. See section 7.

#### 10.3. Possibility of hazardous reactions

Hazardous Polymerisation  
None known.

#### 10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

#### 10.5. Incompatible materials

Materials To Avoid  
Natural rubber.

#### 10.6. Hazardous decomposition products

Decomposition products may include Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Toxicological information

No data are available for this product. It has been classified according to the calculation procedure of the EC Dangerous Preparations Directive using known information and calculated data about the individual components then read across to the Classification, Labelling and Packaging of substances and mixtures directive (as amended).

Inhalation

Harmful by inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Vapour may irritate respiratory system or lungs.

Ingestion

Harmful if swallowed. Aspiration hazard if swallowed; harmful if liquid is aspirated into the lungs, may even prove fatal. Accidental swallowing of small quantities is unlikely to cause harm but larger amounts may cause nausea and diarrhoea.

Skin contact

May cause defatting of the skin, but is not an irritant.

Eye contact

May cause temporary eye irritation.

Health Warnings

Swallowing concentrated chemical may cause severe internal injury.

# Creocote - Light or Dark

Route of entry

Inhalation. Ingestion.

Medical Symptoms

Upper respiratory irritation. Nausea, vomiting.

Medical Considerations

Convulsive disorders, CNS problems.

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

This material should not be allowed into drains, sewers or other water courses. In the wet state harmful to animals and plants but once dry (48 hours) product is not considered unsafe. Splashes on leaves of plants will cause burns but long term systemic damage is unlikely. May be toxic to bats and bees.

### **12.1. Toxicity**

Acute Fish Toxicity

Limited data is available for this preparation as supplied. Classified according to the calculation procedure of the EC Classification, Labelling & Packaging Regulation using known data and the such information about individual components as is known.

### **12.2. Persistence and degradability**

Degradability

The product is not readily biodegradable.

### **12.3. Bioaccumulative potential**

### **12.4. Mobility in soil**

Mobility:

The product is immiscible with water and will spread on the water surface. Contamination will evaporate from the surfaces of water and soil.

### **12.5. Results of PBT and vPvB assessment**

### **12.6. Other adverse effects**

## SECTION 13: DISPOSAL CONSIDERATIONS

General information

Product is hazardous waste. Do not allow into drains, sewers or water courses.

Disposal must be by means of a licensed waste contractor. Empty containers may contain residual product and flammable vapours. Keep away from sparks, heat and sources of ignition. Labels should not be removed.

### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements. Absorb in vermiculite or dry sand and dispose of at a licenced hazardous waste collection point.

## SECTION 14: TRANSPORT INFORMATION

### **14.1. UN number**

UN No. (ADR/RID/ADN) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

### **14.2. UN proper shipping name**

Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

# Creocote - Light or Dark

## 14.3. Transport hazard class(es)

ADR/RID/ADN Class	9
ADR/RID/ADN Class	Class 9: Miscellaneous dangerous substances and articles.
ADR Label No.	9
IMDG Class	9
ICAO Class/Division	9
Transport Labels	



## 14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	III
ICAO Packing group	III

## 14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant



## 14.6. Special precautions for user

EMS	F-A, S-F
Emergency Action Code	3Z
Hazard No. (ADR)	90

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

### SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 SI No 716. (CHIP4).

Control of Substances Hazardous to Health Regulations (as amended). (COSHH)

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007. (CDG 2009)

Management of Health & Safety at Work Regulations 1999.

Approved Code Of Practice

The Control of Substances Hazardous to Health Regulations 2002 (as amended). Approved code of practice and guidance.

Fifth Edition 2005. HSE Books, or download at: <http://www.hse.gov.uk/pubns/priced/l5.pdf>

Guidance Notes

The storage of flammable liquids in containers HSG51 (HSE 1998).

Introduction to Local Exhaust Ventilation HS(G)37.

# Creocote - Light or Dark

Workplace Exposure Limits EH40/2007 (as amended).

COSHH essentials. 'Easy steps to control chemicals.' Only available on HSE's website and regularly updated at <http://www.hse.gov.uk/pubns/guidance/index.htm>

EU Legislation

EC Directive 98/24 on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

ADR (L'Accord européen relative au transport international des marchandises dangereuses par route.)

## 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

## SECTION 16: OTHER INFORMATION

Revision Comments

Comprehensive Review.

Revision Date	03- April-2014
Revision	02 replaces 01 of 26-Mar-2014
Supersedes date	26-March-2014
SDS No.	10362
Date	13-Jan-09

Risk Phrases In Full

R20	Harmful by inhalation.
R65	Harmful: may cause lung damage if swallowed.
R38	Irritating to skin.
R40	Limited evidence of a carcinogenic effect.
NC	Not classified.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full

H315	Causes skin irritation.
H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H373	May cause damage to organs <<Organs>> through prolonged or repeated exposure.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.